

Herzlichen Glückwunsch zum Erwerb des HFI Luftleitblechs für den Golf 7 GTI VFL/FL. Wir sind bestrebt Ihnen qualitativ hochwertigste Handarbeit zu bieten, sodass Sie ungetrübte Freude an dem Intake in Kombination mit Ihrem Fahrzeug haben. Deswegen befolgen Sie diese Einbauanleitung bitte Punkt für Punkt. So entgehen Sie Fehlern beim Einbau.

Lieferumfang:

- 2 Stk. HFI-Series Luftleitbleche VW Golf 7 GTI, schwarz gepulvert
- 2 Stk. Linsenkopf Blechschrauben 3,9 x 13, schwarz

Zum Einbau benötigen Sie:


- Torx 25 & 20-Schraubendreher
- Weißen Permanentmarker
- Dremel oder Multitool mit kleiner Trennscheibe und Schleifaufsatz (oder ähnliches)

Hinweis: Sollten Sie sich die Montage nicht zutrauen, suchen Sie bitte eine Fachwerkstatt auf.

1. Öffnen Sie die Motorhaube Ihres Fahrzeugs und entfernen sie die beiden 25er Torxschrauben (1). Nun befestigen sie die Luftleitbleche umgedreht, mit den beiden 25er Torxschrauben(2).



2. Schrauben Sie die mitgelieferten T20 Torxschrauben in die Mittleren beiden Löcher in den Luftleitblechen, um diese mit dem Kühlergrill zu befestigen. (Wenn Sie vorbohren möchten, nutzen sie einen 2mm Bohrer)




3. Markieren Sie die auszuschneidenden Flächen mittels Permanentmarker und bauen Sie anschließend den Kühlergrill nach Herstellervorgabe aus.



4. Schneiden Sie nun die angezeichneten Flächen aus. Bauen Sie den Kühlergrill anschließend wieder ein.



5. Bauen Sie nun die Luftleitbleche ein und befestigen diese, mit den dazugehörigen Schrauben.



Es ist geschafft ! Sie haben Ihr HF-Series Luftleitbleche erfolgreich eingebaut. Wir wünschen Ihnen viel Spaß mit dem Produkt und Ihrem Fahrzeug. Bei Fragen oder Problemen während oder nach dem Einbau wenden Sie sich bitte an:

HG-MOTORSPORT GmbH
Telefon: +49 (0) 451 40 94 600
E-Mail: info@hg-motorsport.de

Congratulations on your purchase of the HFI air baffle for the Golf 7 GTI VFL/FL.

We are committed to providing you with the highest quality handcrafted product so that you can enjoy the Intake in combination with your vehicle. Therefore, please follow these installation instructions point by point. So you avoid mistakes during installation.

Lieferumfang:

- 2 Stk. HFI-Series air baffle VW Golf 7 GTI, black coated
- 2 Stk. Lens head Sheet metal screws 3,9x13, black

For the installation you need:

- Torx 25 & 20-screwdriver
- white Marker
- Multitool with small cutting disc and grinding attachment (or similar)

Note: If you are not confident with the assembly, please consult a specialist workshop.

1. Open the hood of your vehicle and remove the two 25mm Torx screws (1).

Now fasten the air baffles upside down with the two 25mm Torx screws (2).




HFS SERIES

Installation instructions Air collector shield for VW GOLF 7 GTI VFL/FL

Errors and omissions excepted

2. Screw the supplied T20 Torx screws into the center two holes in the air deflectors to secure them to the grille. (If you want to pre-drill, use a 2mm drill bit).



3. Mark the areas to be cut out using a permanent marker and then remove the radiator grille according to the manufacturer's instructions.



HFS SERIES

Installation instructions Air collector shield for VW GOLF 7 GTI VFL/FL

Errors and omissions excepted

4. Now cut out the marked areas. Then reassemble the radiator grille.




HF **S**ERIES

Installation instructions Air collector shield for VW GOLF 7 GTI VFL/FL

Errors and omissions excepted

5. Now install the air baffles and fasten them with the corresponding screws..



It is done ! You have successfully installed your HF-Series air baffle. We wish you a lot of fun with the product and your vehicle. If you have any questions or problems during or after installation please contact:

HG-MOTORSPORT GmbH
Fon: +49 (0) 451 40 94 600
E-Mail: info@hg-motorsport.de